

iM2050

Peli



Afmetingen

Exterior (L x W x D): 11.80 x 9.80 x 4.70 inch

Interior (L x W x D): 9.50 x 7.50 x 4.25 inch

Bottom Depth: 2.75 inch

Materiaal

Body Material: Injection Molded HPX®" high performance resin"

Latch Material: Valox - Polybutylene Terephthalate (PBT)

Latch Alt Material: Xenoy - Polyester/Polycarbonate blend

O Ring Material: EPDM

Pins Material: Stainless Steel

Pins Alt Material: Aluminum

Foam Material: 1.3/1.35 polyester

Purge Body Material: Valox - Polybutylene Terephthalate (PBT)

Purge Body Alt Material: Xenoy - Polyester/Polycarbonate blend

Purge Vent Material: Gortex membrane

Purge O Ring Material: Buna-N, 50-60 Durometer Shore A

Kleuren

Black

Yellow

OD Green

Specificaties

Min: 140 fahrenheit

Max: 11.10 fahrenheit

Extendable Handle:

Master Pack Qty: 6

Gewicht

Weight: 3.00 lbs

Weight No Foam: 0002.70 lbs

Master Pack Weight: 23.20 lbs

Certificering

<http://www.pelican.com/us/en/product/watertight-storm-hard-cases/small-case/standard/iM20>;

Overige

MIL-STD-810F / ATA 300 / FED-STD-101C