

iM2620

Peli



Afmetingen

Exterior (L x W x D): 21.20 x 16.00 x 10.60 inch

Interior (L x W x D): 20.00 x 14.00 x 10.00 inch

Bottom Depth: 8.00 inch

Materiaal

Body Material: Injection Molded HPX®" high performance resin"

Latch Material: Valox - Polybutylene Terephthalate (PBT)

Latch Alt Material: Xenoy - Polyester/Polycarbonate blend

O Ring Material: EPDM

Pins Material: Stainless Steel

Pins Alt Material: Aluminum

Foam Material: 1.3/1.35 polyester

Purge Body Material: Valox - Polybutylene Terephthalate (PBT)

Purge Body Alt Material: Xenoy - Polyester/Polycarbonate blend

Purge Vent Material: Gortex membrane

Purge O Ring Material: Buna-N, 50-60 Durometer Shore A

Kleuren

Black

OD Green

Specificaties

Min: 140 fahrenheit

Max: 101.62 fahrenheit

Extendable Handle:

Master Pack Qty: 1

Gewicht

Weight: 14.50 lbs

Weight No Foam: 0012.50 lbs

Master Pack Weight: 14.50 lbs

Certificering

MIL-STD-810F

ATA 300

FED-STD-101C

Overige

sterke scharnieren

Lichte en sterke HPX®-hars

Waterdicht

Guaranteed For Life"