

iM2750

Peli



Afmetingen

Exterior (L x W x D): 24.60 x 19.70 x 14.40 inch

Interior (L x W x D): 22.00 x 17.00 x 12.70 inch

Bottom Depth: 10.70 inch

Materiaal

Body Material: Injection Molded HPX®" high performance resin"

Latch Material: Valox - Polybutylene Terephthalate (PBT)

Latch Alt Material: Xenoy - Polyester/Polycarbonate blend

O Ring Material: EPDM

Pins Material: Stainless Steel

Pins Alt Material: Aluminum

Foam Material: 1.3/1.35 polyester

Purge Body Material: Valox - Polybutylene Terephthalate (PBT)

Purge Body Alt Material: Xenoy - Polyester/Polycarbonate blend

Purge Vent Material: Gortex membrane

Purge O Ring Material: Buna-N, 50-60 Durometer Shore A

Kleuren

Black

Yellow

OD Green

Specificaties

Min: 140 fahrenheit

Max: 173.40 fahrenheit

Extendable Handle: yes

Master Pack Qty: 1

Gewicht

Weight: 23.40 lbs

Weight No Foam: 0018.50 lbs

Master Pack Weight: 25.20 lbs

Certificering

MIL-STD-810F

ATA 300

FED-STD-101C

Overige

sterke scharnieren

Lichte en sterke HPX®-hars

Waterdicht

Guaranteed For Life"