

iM2950

Peli



Afmetingen

Exterior (L x W x D): 31.30 x 20.40 x 12.20 inch

Interior (L x W x D): 29.00 x 18.00 x 10.50 inch

Bottom Depth: 8.50 inch

Materiaal

Body Material: Injection Molded HPX®" high performance resin"

Latch Material: Valox - Polybutylene Terephthalate (PBT)

Latch Alt Material: Xenoy - Polyester/Polycarbonate blend

O Ring Material: EPDM

Pins Material: Stainless Steel

Pins Alt Material: Aluminum

Foam Material: 1.3/1.35 polyester

Purge Body Material: Valox - Polybutylene Terephthalate (PBT)

Purge Body Alt Material: Xenoy - Polyester/Polycarbonate blend

Purge Vent Material: Gortex membrane

Purge O Ring Material: Buna-N, 50-60 Durometer Shore A

Kleuren

Black

Yellow

OD Green

Specificaties

Min: 140 fahrenheit

Max: 200.85 fahrenheit

Extendable Handle: yes

Master Pack Qty: 1

Gewicht

Weight: 28.70 lbs

Weight No Foam: 0020.80 lbs

Master Pack Weight: 28.00 lbs

Certificering

MIL-STD-810F

ATA 300

FED-STD-101C

Overige

sterke scharnieren

Lichte en sterke HPX®-hars

Waterdicht

Guaranteed For Life"