




9430 RALS

Peli



Licht specificaties

	High	Low
 Lumens	3000	1500
 Runtime	8h	15h
 Water resistant	IP54	

Afmetingen

HEAD (L X W X D)

6.50" x 7.87" x 2.56" (16.5 x 20 x 6.5 cm)

CLOSED (L X W X D)

15.75" x 7.87" x 9.06" (40 x 20 x 23 cm)

Materiaal

Body: Polycarbonate (PC) / ABS

Head: Polycarbonate (PC) / ABS

Mast: Glass-Reinforced Plastic

Lens: Polycarbonate (PC)

Kleuren

yellow

black

Power

Sealed Lead Acid (SLA)

Gewicht

22.65 lbs (10.3 kg)

Schakelaar

Silicone Rubber Keypad

Certificering

RoHS Compliant / CE Approved

Overige

LIGHT SPECS

Lumens (High): 3000

Lumens (Low): 1500

Lamp Heads: 1

Lamp Type: LED

Number of LEDs: 6

Lamp Life: 50000 hrs

Beam Spread: 125°

IP Rating: 54

POWER

Run Time (High): 8.00 hrs

Run Time (Low): 15.00 hrs

Battery Type: Sealed Lead Acid (SLA)

Battery Lifespan: 500 cycles

Charge Time: 300 mins

Battery Level Indicator: Intermittent Blinking

Sockets (Primary): 1

Sockets (Aux): 1

Volts: 12.0v