




9460 RALS

Peli



Licht specificaties

	High	Low
 Lumens	6000	2000
 Runtime	7h	40h
 Water resistant	IP54	

Afmetingen

Head (L x W x D): 8.25 x 5.75" x 2.25 (21 x 14.6 x 5.7 cm)

Closed (L x W x D): 23.25 x 14.00" x 9.25 (59.1 x 35.6 x 23.5 cm)

Mast Length: 79.50"

Cord Length: 13.78"

Materiaal

Body: Polypropylene

Head: Aluminum

Mast: Aluminum

Lens: Polycarbonate (PC)

Kleuren

yellow

black

Power

Sealed Lead Acid (SLA)

Gewicht

61.00 lbs (27.7 kg)

Schakelaar

Switch Type: iControl Keypad / Bluetooth App

Overige

LIGHT SPECS

Lumens (High): 12000

Lamp Heads: 2

Lamp Type: LED

Number of LEDs: 20

Lamp Life: 50000 hrs

Beam Spread: 120°

IP Rating: 54

POWER

Run Time (High): 7.00 hrs

Run Time (Low): 40.00 hrs

Battery Type: Sealed Lead Acid (SLA)

Battery Lifespan: 500 cycles

Charge Time: 480 mins

Battery Level Indicator: iControl

Sockets (Primary): 2

Volts: 12.0v