




Licht specificaties

	High	Low
 Lumens	12000	1000
 Runtime	7h	low 40h
 Water resistant	IP54	

Afmetingen

Head (L x W x D): 8.25 x 5.75" x 2.25 (21 x 14.6 x 5.7 cm)

Closed (L x W x D): 24.75 x 20.00" x 11.75 (62.9 x 50.8 x 29.8 cm)

Mast Length: 82.00"

Cord Length: 13.78"

Materiaal

Body: Polypropylene

Head: Aluminum

Mast: Aluminum

Lens: Polycarbonate (PC)

Kleuren

yellow

black

Power

Sealed Lead Acid (SLA)

Gewicht

61.00 lbs (27.7 kg)

Schakelaar

Switch Type: iControl Keypad / Bluetooth App

Certificering

RoHS Compliant

CE Approved

Overige

LIGHT SPECS

Lumens (High): 24000

Lamp Heads: 4

Lamp Type: LED

Number of LEDs: 40

Lamp Life: 50000 hrs

Beam Spread: 120°

IP Rating: 54

POWER

Run Time (High): 2.75 hrs

Run Time (Low): 24.00 hrs

Battery Lifespan: 500 cycles

Charge Time: 480 mins

Battery Level Indicator: iControl

Sockets (Primary): 4

Volts: 12.0v